SOLDERING CATALOGUE

JANUARY 2018

www.autofast.co.za

Tel : 0217052101 Fax : 0866962277 Email : ztclips@gmail.com



WELLER SOLDERING IF	ON 15W LIGHT DUTY	
For fine duty work Straight Nickel-plated ⁻ On/off indicator light WEL015W	Гір : 2.0mm (type MT10)	Mar Live
WELLER SOLDERING IF	ON 25W GENERAL DUTY	
On/off indicator light	neral electrical repairs Fip : 0.8mm (type MT11)	Marie 19
WELIER SOLDERING IS	RON 40W MEDIUM DUTY	
•	general soldering repairs Fip : 6.3mm (type MT10)	Mark 12 dies
WELLER SOLDERING IF	ON 80W HEAVY DUTY	
Iron suitable for makin Straight Iron plated Tip On/off indicator light	g metal/plastic repairs : 9.5mm (type MTG20)	The state of the s
WEL080W		
WELLER SOLDERING IF	ON 120W HEAVY DUTY	
Suitable for Heavy Dut Bent Nickle-plated Cop Chisel point		
WEL120W		

WELLER SOLDERING IRON 175W HEAVY DUTY	
WELLER SOLDERING IRON 175W HEAVY DUTY	
Suitable for Heavy Duty soldering	
Bent Nickle-plated Copper Tip 16.0mm	
Chisel point	
emser pome	Al .
WEL175W	
WELLER SOLDERING IRON 200W HEAVY DUTY	
Suitable for Heavy Duty soldering	
Bent Nickle-plated Copper Tip 20.0mm	
Chisel point	
	No.
<u> </u>	
WEL200W	
NASCO RESINCORE SOLDER	(1) (M. 1981)
	Sales of the sales
Flux within triple core is non-corrosive and non-conductive	
Size : 0.71mm 500g	
NSO0033	
NASCO RESINCORE SOLDER	
NASCO RESINCORE SOLDER	AND
Flux within triple core is non-corrosive and non-conductive	
Size : 0.9mm 500g	
NSO0034	
NASCO RESINCORE SOLDER	
	10 00 00 00 00 00 00 00 00 00 00 00 00 0
Flux within triple core is non-corrosive and non-conductive	
Size : 1.25mm 500g	
NSO0035	
NASCO RESINCORE SOLDER	
IVASCO RESINCORE SOLDER	The state of the s
Flux within triple core is non-corrosive and non-conductive	
Size : 1.6mm 500g	
3	
NSO0037	
N300037	

NACCO DECIMICODE COL DED	
NASCO RESINCORE SOLDER	
Flux within triple core is non-corrosive and non-conductive Size: 2.0mm	27.14 (2001 19 9) Aug
NSO0025 250g	
NSO0030 500g	
NASCO SOLDERING STICKS 40T	
Suitable for soldering zinc, zinc plated galvanized and Cadmium plated metals Sticks are 40% lead and 60% tin	
NSO0040	
ALCOLIN SOLDERLENE 15G	
Liquid Solder in a tube 15grams Can be used as conventinal solder for light duty applications	SOIDERLENE
ALC1800	
MTS SOLDERING PASTE	
Enables easy soldering on most metals Not suitable for Aluminium ELCO655	Soldering Paste
MTS CHRYSTALINE SOLDERING FLUID 500ML	(S)
Suitable for most metals excluding Aluminium ELCO920	Crystaline Widering Fluid
1	